


# Coyote Management Plan

City of Yorba Linda

January 2024



## Table of Contents

---

<b>Acknowledgement</b> .....	<b>3</b>
<b>Coyote Wildlife Management Plan</b> .....	<b>4</b>
Goals of the Management Plan .....	4
Difficulties managing wildlife.....	4
<b>The Coyote (<i>Canis latrans</i>)</b> .....	<b>5</b>
Where are coyotes from? .....	5
What do coyotes look like? .....	5
How do you know where coyotes are?.....	5
How and where do coyotes live?.....	6
What role do coyotes play in the city? .....	6
How do humans perceive coyotes? .....	6
Have coyote numbers increased in Yorba Linda?.....	6
Can urban coyote behavior change?.....	7
<b>Management Strategies for Yorba Linda Parks and Recreation Areas</b> .....	<b>8</b>
Monitor and collect data.....	8
Education and outreach .....	8
Hazing and behavioral change .....	10
Goals of hazing.....	10
The hazing process .....	10
Overview of hazing .....	10
<b>Response Plan to an Incident</b> .....	<b>12</b>
Incident defined .....	12
Circumstances determine the response.....	12
<b>Appendix A Definitions on encounters with coyotes</b> .....	<b>14</b>
<b>Appendix B Coyote behavior, behavior classification and recommended response.</b>	<b>16</b>
<b>Appendix C Hazing Program and Training Plan</b> .....	<b>17</b>
Hazing and behavioral change .....	17
Foundation of hazing.....	17
Goals of hazing.....	17
General Considerations .....	18
Summary of Hazing .....	20

## Acknowledgement

---

As Yorba Linda continues to develop, our urban wildlife adapts to living in closer proximity to people. Occasionally, misconceptions develop and conflicts between people and wildlife occur. In the City of Yorba Linda and the County of Orange we strive to balance the needs of our citizens with an appreciation, respect and understanding of urban wildlife and our natural functioning ecosystems.

This Coyote Management Plan supports a reduction in conflicts and an increase in understanding of Yorba Linda's urban coyotes. We want to thank the many people who have participated in the development of this plan and for the support of our policies.

# Coyote Wildlife Management Plan

---

## Goals of the Management Plan

The goal of this Management Plan is to support coexistence with urban coyotes using education, behavior modification, and the development of a tiered response to inappropriate coyote behavior. The tiered response requires the participation of city personnel and citizens.

*Inappropriate coyote behavior is defined when a coyote approaches a person and growls, bares teeth, lunges, injures or kills an escorted on-leash pet or injures that person.*

This Management Plan is based on research and best-known management practices and includes a full spectrum of management tools. Basic principles that guide this and all Wildlife Management Plans are based on the following principles:

1. Urban wildlife is valued for biological diversity, as members of natural ecosystems, and as reminders of larger global conservation issues.
2. Urban wildlife and wildlife habitats are important to Yorba Linda citizens. Although urban environments are more favorable to some species than others, coexistence is the foundation of our general wildlife management programs.
3. Human safety is a priority in managing wildlife/human conflicts that pose a danger to **people**.
4. Preventive practices such as improving wildlife habitats, habitat manipulation, and responding appropriately during human and wildlife interactions when interacting with wildlife are key to minimizing potential human conflicts.
5. The management techniques and decisions set forth herein are based on a thorough understanding of the biology and ecology of urban wildlife species.
6. Education and communication are essential in supporting human and animal needs and coexistence.
7. Emphasis of this management plan is placed on preventative measures and

non-lethal controls. Lethal measures are taken only as a last resort.

## Difficulties managing wildlife

Although Yorba Linda places a high value on its wildlife, some species that have adapted to urban environments have the potential for problems or conflicts in specific situations.

In addressing problems, the city promotes policies supporting prevention and implementation of remedial measures that do not harm wildlife or their habitats.

A wildlife problem is defined as any situation that causes a health or safety issue to its citizens or unacceptable damage to city property.

In cases where wildlife problems are associated with human behavior (leaving garbage exposed or intentional wildlife feeding), education is enacted to minimize conflict.

In some cases, particular or traditional management tools are ineffective. For example, trapping coyotes and relocation of animals are neither ecologically sound nor approved by the Department of Fish and Game (DFG). Generally, many relocated animals do not survive the transfer. If they do, they tend to disperse to other locations where they may cause problems, go to great lengths to return to known territory, or adversely affect residents.

As a last resort in extreme cases, lethal control measures are controversial and physically challenging. If they are used, they must be humane and in compliance with federal and state laws and require prior approval by Yorba Linda's City Manager.

## The Coyote (*Canis latrans*)

---

### Where are coyotes from?

Coyotes are originally native to California and several other western states. Due to their intelligence, adaptability, and the decline of larger animals, coyotes have successfully expanded their range. They are now found in all states except Hawaii and have successfully established themselves in every urban ecosystem across North America.

### What do coyotes look like?

On the upper parts of their body, coyote pelts vary from gray-brown to yellow-gray. Their backs have tawny-colored underfur and long overcoats with black-tipped guard-hairs. The latter forms a dorsal stripe and a dark band over their shoulders. Throat and bellies tend to be buff or white. The forelegs, sides of the head, muzzle, and feet are reddish brown. Coyotes have long legs, small paws, large pointed ears, and a pointed snout.

Weighing between 15 to 40 lbs., their long legs and thick fur make them appear larger.




Adult Coyote

### How do you know where coyotes are?

If you do not directly see a coyote, you may notice paw prints or scat (feces) left behind or even hear them. Their prints are similar to dogs and difficult to tell apart.

However, unlike dogs, their scat is rope-like and typically filled with hair, seeds, and bones. Coyotes use scat to communicate and often deposit it in the middle of a trail or edge of their territory where it is easily seen. Coyotes howl, bark, or whine - usually to communicate with each other.



Coyote Print

Domestic Dog Print

---

### **How and where do coyotes live?**

Coyotes live in family groups with one breeding pair, generally mating once a year, usually January through February. The rest of the group is comprised of multiple generations of offspring. Pups are born March through May. The entire group protects the pups and the survival rate is typically high. Litter size depends on available resources and the number of coyotes in the area.

Although a litter varies from two to 12 pups, the average varies depending on environmental factors. Pups remain in the den for the first six weeks and then travel with the adults. By the end of summer, they are more independent, yet, may still travel with parents and siblings.

Because coyotes are socially organized, the group raises the young and defends their territory from other coyotes. Territories do not overlap. Although they live in groups, coyotes often travel alone or in pairs.



In urban areas, most coyotes live in large parks, golf courses, greenways, and natural open spaces where they find food and cover. Thus, their territory may follow the park or open space boundaries. Research indicates that where these open areas do not exist, coyotes establish territories in large city blocks. They are extremely adaptable in creating territories under a wide range of urban conditions.

### **What role do coyotes play in the city?**

Urban coyotes play an important role in the urban ecosystem. They are predators of geese, eggs, squirrels, mice, rats, rabbits, and other small animals. Rodents make up a majority of their diet. Areas with coyote residents often report a decrease in rodent populations.

### **How do humans perceive coyotes?**

People respond to coyotes in various ways. Some observe them with enjoyment, others with indifference, and some with fear or concern. Personal experiences with coyotes influence their perceptions. Experiences range from animal sightings without incident to stalking, killing of pets, or, at the extreme, an attack on a person.

Because wild animals conjure up fear, actual sightings and perceptions may become exaggerated or misconstrued (see Appendix A for coyote description encounters). The wide range in perceptions of urban coyotes from Yorba Linda residents supports the need for strong educational messages to clarify management techniques.

### **Have coyote numbers increased in Yorba Linda?**

Without years of historical tracking and updated inventories, it is difficult to know if the number of coyotes has increased in an area. However, evidence shows behavior is changing and some coyotes are becoming bolder and less afraid of humans primarily because humans have allowed coyotes to become comfortable in their presence. Recent fires over the last two decades also destroyed their ecosystem and caused the coyotes to ingratiate themselves into the City at large.

## **How do humans affect coyote behavior?**

Urban coyotes have developed a different lifestyle from coyotes in rural environments. Cities support larger populations of animals in close proximity to people for the following reasons:

- 
- 1) Increased access to food. People provide easy access to large supplies of food by leaving pet food, bird seed, unsecured compost or trash and fallen fruits in yards. Unintentional and intentional feeding of coyotes encourages bold behavior and increases aggression towards people and pets. Intentional feeding makes people a target source of food.
  - 2) Increased access to water. Year round water supplies in cities from man-made ponds, lakes, irrigation, pet water dishes, etc. increase water for prey animals and coyotes.
  - 3) Increased potential shelter. Parks, golf course buildings, vehicles, sheds, decks, and crawl spaces, among others increase the amount and variability of coyote shelters. They can safely and easily remain close to people, pets, homes, and businesses without detection.
  - 4) Increased exposure to people. Regular interaction between coyotes and people without negative consequences encourages habituation or increases comfort levels with human contact. People are or may be disregarded as a potential source of danger.
  - 5) Increased exposure to pets. Pets are a normal part of an urban landscape and to urban coyotes, they are considered other animals in their habitats. Pets can be considered potential prey or a potential competitor in coyote territory.

## **Can urban coyote behavior change?**

While human attacks are rare (roughly less than one a year throughout California) the number of sightings is increasing due to increased interaction, urban landscape development, and habituation of urban coyotes. Increased public sightings, pet related incidents and media attention have led some urban residents to fear coyotes.

Steps must be taken to address safety concerns and misconceptions and appropriate responses to potential threats to human safety.

## Management Strategies for Yorba Linda Public Areas

---

Strategies for managing coyotes on Yorba Linda's public lands are based on balancing respect and protection for wildlife and their habitats without compromising public human safety. The main strategies are:

- Monitor and collect data through OC Animal Care
- Education and outreach
- Haze for behavioral change in resident coyotes
- Response plan for dangers to humans

### Monitor and collect data

Currently there are no historical records tracking urban coyotes in the City and County. Collecting local data allows the County to estimate and monitor resident coyote population size, determine established family group territories, and track areas with increased coyote activity. Monitoring and collecting include the following activities:

- a) Identify coyote locations and areas of increased activity and record coyote sightings and incidents.
- b) Maintain a contact where residents and city staff can report coyote information, (714) 935-6848.

### Education and outreach

Education is the key to residents making appropriate decisions in managing property and pets. This involves decreasing attractants, increasing pet safety, and creating reasonable expectations of normal coyote behavior.

Learning how to respond to a coyote encounter empowers residents and supports reshaping undesired coyote behavior. People need to understand normal behavior when living in close proximity with coyotes. For example, vocalization is normal acceptable behavior and does not indicate aggression.

Education and outreach include:

- a) Understanding human safety, pet safety, deterrents to coyotes on private property, exclusion techniques, "what to do" tips, and appropriate hazing techniques.
- b) Developing a common language and awareness of normal versus abnormal behavior when discussing encounters with coyotes (see definitions in Appendix A)
- c) Interpretive signs, publications, media features, presentations, workshops, and flyers.
- d) Dissemination of materials and information to residents, businesses, and schools in the area.
- e) Classes and training on living with coyotes.

---

Yorba Linda, in partnership with OC Animal Care staff, may provide a variety of classes.

Training classes on "coyote hazing" will be scheduled by request or as needed.

Staff will be trained to understand coyote behavior and haze appropriately.

Management staff will be updated on current best practices and coyote information for their areas.

Programs and public meetings will be scheduled in areas that request them.

In addition, staff will collaborate with OC Animal Care in educating, monitoring and enforcing regulations on commercial sites that may be contributing by providing food to wildlife, either intentionally or unintentionally.

## **Hazing and behavioral change**

Some urban coyotes have become comfortable in the close proximity of people. To safely co-exist, it's important to modify this behavior and attitude in resident coyote populations. Urban coyote behavior needs to be reshaped to encourage coyotes to avoid contact with humans and pets.

Hazing is the process that facilitates this change and is by necessity a community response to encounters with coyotes. The more often an individual animal is hazed, the more effective hazing is in changing coyote behavior (see Appendix C for coyote hazing overview).

### **Goals of hazing**

The goals of hazing are to:

- Reshape coyote behavior to avoid human contact in an urban setting.
- Give residents tools to actively engage in reshaping coyote behavior and to support feeling safe in their parks and neighborhoods.
- Model hazing behavior and share accurate information about coyotes with other residents, friends, and family.

### **The hazing process**

Human behavior can shape animal behavior, in either a negative or positive manner. People living in close proximity to coyotes can remove coyote attractants, identify potentially dangerous situations for their pets and themselves, and respond in a manner designed to change coyote behavior.

Behavioral change and hazing include the following:

- a) Pet owners need to protect their pets. Off-leash and unattended dogs and unattended outside cats attract coyotes.
- b) Residents need to learn hazing effectiveness and techniques.

c) Hazing needs to be active for a sustained period of time to achieve the desired change for the highest possible long-term success

d) Hazing requires monitoring by those participating to assess its effectiveness and to determine if further action or more aggressive measures are needed. I

### **Overview of hazing**

Hazing is a process whereby a number of individuals encountering a coyote respond in like manner to make a coyote uncomfortable and choose to leave a situation where their presence is unwanted.

Basic hazing consists of standing your ground, never ignoring or turning your back to a coyote(s), yelling and making unpleasant and frightening noises until the animal(s) choose to leave.

More aggressive hazing consists of approaching an animal quickly and aggressively, throwing projectiles, spraying with a hose or water gun, or creating fear of contact so the animal leaves the situation (this is not recommended if you have not participated in a training class). For more options see Appendix C on hazing.

Note: Some projectiles are not legal in Yorba Linda including but not limited to slingshots, paintballs, guns, and pepper balls.

Hazing must continue once it begins until the animal leaves, otherwise, the coyote will learn to "wait" until the person gives up. Not following through with hazing will create an animal more resistant to hazing instead of reinforcing the image that "people are scary."

Hazing should never injure the animal. An injured animal becomes less predictable versus a normal, healthy one who responds in a consistent and predictable manner to hazing.

A common concern with hazing involves potential danger to the hazer. A coyote's basic nature is very skittish and the nature of the species is what makes this technique successful. A normal, healthy coyote will not escalate a situation with an aggressive person. Hazing is NOT successful with every species of wild animal because different types of animals have different traits.

Residents should not engage in hazing unless they have received proper training in the technique and the resident feels comfortable and confident in his or her ability to complete the hazing process.

## **Response Plan to an Incident**

---

### **Incident defined**

An incident is described as a conflict between a human and a coyote where the coyote exhibits the following behavior: coyote approaches a human and growls, bares teeth, or lunges; injures or kills an escorted/on-leash pet. This includes attended pet loss, but not human injury. When a human injury occurs it is defined as an "attack" (see Appendix A- definitions).

The City of Yorba Linda and OC Animal Care will investigate the incident if a human is physically injured. (See Appendix B on levels of coyote behavior). If a resident ever feels threatened by any wild animal they should call 911 immediately.

### **Circumstances determine the response**

Circumstances of the incident are critical in determining response. If an attack is unprovoked indicating a continued threat to human safety, the City will coordinate with OC Animal Care and DFG to determine a course of action, potentially including a permit for trapping or removal. Yorba Linda will not engage in any attempts of general culling or population control or relocation. Only specific animals will be targeted.

The City of Yorba Linda will target education to the region affected on how the incident occurred and how to avoid it in the future. The residents will be instructed on hazing techniques and coyote attractants.

In a provoked attack, the City and the County will determine if circumstances indicate a continued threat to human safety. The City determines the initial response which may range from targeted education to removal of the animal.

Continued response will depend on specific details of the attack. The level of threat to human safety will determine if continued action is needed. Continued activity may include increased educational materials such as flyers, mailers or press releases, public meetings, and/or potentially applying for a trapping permit.

If leg hold traps or snares are determined to be necessary, the Yorba Linda's staff will contract with a trapper to initiate the trapping.

---

Trapping will not extend beyond a ten-day trapping period any more than once each month. Live traps have been proven to be ineffective at capturing a targeted coyote; therefore escalated efforts on the part of the trapper may be necessary.

The information and recommendations contained in this Coyote Management Plan are provided as educational and informational resources and are not guaranteed to be effective. The City of Yorba Linda is not responsible for and shall not be held liable for any damage or injuries resulting from the use of the information, techniques recommendations, or suggestions contained herein.

In the event of an extreme safety situation, the Orange Country Sherriff's Department is also a potential first responder. In the event on an attack on a human, call 911 immediately.

Note: No private individual will be authorized to discharge a firearm within the City of Yorba Linda.

## Appendix A

### Definitions of encounters with coyotes

---

**Active coexistence:** Humans and coyotes exist together. Communities decide on community spaces, such as open spaces, where coyotes are appropriate and do not haze, feed, or interact with them in these areas. Humans take an active role in keeping coyotes in their community wild by removing attractants, taking responsibility for pet safety, hazing coyotes in neighborhood or community spaces (except for predetermined coyote-appropriate areas), and learning about coyote ecology and behavior.

**Attack** - An aggressive action that involves physical contact with a human and/or a human is injured by a coyote.

Provoked - A human-provoked attack or incident where the human involved encourages the coyote to engage. Examples include a dog off-leash in an on-leash area; a dog on a leash longer than 6' in length, or a human intentionally approaches or feeds the coyote.

Unprovoked - An unprovoked attack or incident where the human involved does not encourage the coyote to engage.

**Attended animal loss or injury** - When a person is within 6' of the pet, this may or may not be an indication of a potential threat to human safety.

**Domestic animal loss or injury** - A coyote injures or kills a pet animal. Also includes "depredation" - predation on domestic pets or livestock. Unattended animal loss or injury is normal behavior for a coyote.

**Encounter** - An unexpected, direct meeting between a human and a coyote, without incident.

#### **Feeding**

Intentional feeding - A resident or business actively and intentionally feeds coyotes including intentionally providing food for animals in the coyote food chain.

Unintentional feeding - A resident or business is unintentionally providing access to food. Examples such as accessible compost, fallen fruit from trees, left open sheds and doors, pet food left outdoors, among others.

Unintentional feeding - bird feeders: A resident or business with bird feeders that may provide food for coyotes, e.g. birds, bird food, rodents, squirrels. Bird feeders must be kept high enough from the ground so a coyote is unable to reach the feeding animals. The area under the bird feeder must be kept clean and free of residual bird food.

**Hazing:** Training method that employs immediate use of deterrents to move an animal out of an area or discourage an undesirable behavior or activity. Hazing techniques include loud noises, spraying water, bright lights, throwing objects, and shouting. Hazing can help maintain a coyote's fear of humans and deter them from neighborhood spaces such as backyards and play spaces. Hazing does not harm animals, humans, or property.

**Incident:** A conflict between a human and a coyote where the coyote exhibits the following behavior: Coyote approaches a human and growls, bares teeth, or lunges; injures or kills an escorted/on-leash pet. This includes attended pet loss, but not human injury.

**Levels of animal contact**

Level 1: A coyote that has been involved in an investigated and documented unprovoked attack on a human. Targeted education and hazing are needed; public awareness of incidents and circumstances discussed, and removal response may be appropriate.

Level 2: A coyote that has been involved in an investigated and documented provoked attack on a human with no pet involved. Evaluate circumstances and human safety, provide education and hazing training, and enhance public awareness of incidents and circumstances, and removal response may be appropriate.

Level 3: A coyote is involved in an incident(s) and/or an attended domestic animal loss. Education and hazing are needed, public awareness of incidents and circumstances discussed.

Level 4: A coyote appears to frequently associate with humans or human-related food sources, and exhibits little wariness of people presence, including unattended domestic animal loss. Education and hazing needed, public awareness of incident and circumstances discussed.

**Observation** - The act of noticing or taking note of tracks, scat or vocalizations.

**Sighting-** A visual observation of a coyote(s); may occur at any time - day or night.

**Unsecured Trash** - Trash that is accessible to wildlife, e.g. individual garbage cans, bags uncovered or open dumpsters or trash cans overflowing or where scattered trash is outside the receptacle.

## Appendix B

### Coyote behavior, behavior classification and recommended response

<b>Coyote Action</b>	<b>Classification</b>	<b>Contact</b>	<b>Response</b>
Coyote heard	Observation	Staff	Distribute educational materials and info on normal coyote behavior
Coyote seen moving in area	Sighting	Staff	Distribute education materials and info on normal coyote behavior
Coyote seen resting in area	Sighting	Staff	If area frequented, educate people on normal behavior, haze to encourage animal to leave
Coyote following or approaching a person & pet	Sighting Encounter	Staff	Educate on potential hazing techniques, what to do tips and pet management
Coyote following or approaching a person w/o pet	Encounter	Staff	Educate on potential hazing techniques, what to do tips and pet management
Coyote entering a yard without pets	Sighting	Staff	Educate on coyote attractants, yard audit, hazing info
Coyote entering a yard with pets	Encounter	Staff	Educate on coyote attractants, yard audit, hazing info, pet management
Coyote entering yard and injuring or killing pet	Incident	Staff (trapper may be contacted)	Develop hazing team in area (if a community interest), gather info on specific animals involved, report on circumstances, educate on coyote attractants, yard and neighborhood audits, pet management
Coyote entering yard with people & pets, no injury occurring	Encounter	Staff (trapper may be contacted)	Gather info on specific animals involved, report circumstances, educate on coyote attractants, yard/neighborhood audits, hazing, pet management
Coyote biting or injuring pet on leash	Incident	Staff (trapper may be contacted)	Gather info on specific animals involved, report circumstances, educate on coyote attractants, yard/ neighborhood audits, hazing, pet management
Coyote aggressive, showing teeth, back fur raised, lunging, nipping w/o contact	Incident	Staff, OCSD, and trapper (possibly DFG)	Gather info on specific animals involved, report circumstances, educate on coyote attractants, yard/ neighborhood audits, hazing, pet management.
Coyote biting or injuring person	Attack	Staff, OCSD, and trapper, including DFG	ID & gather info on specific animal involved, report circumstances, educate on coyote attractants, yard/ neighborhood audits, and hazing, pet management, determine if plan for lethal removal must be implemented. Inform other city officials; engage DFG to implement targeted trapping.

# Appendix C

## Hazing Program and Training Plan

---

City of Yorba Linda

*Coexistence is not a passive undertaking. Yorba Linda's guiding principles are to coexist with wildlife*

### Hazing and behavioral change

Some urban coyotes have become comfortable in close proximity to people. To safely coexist, it's important to modify this behavior and attitude in resident coyote populations. Urban coyote behavior needs to be reshaped to encourage coyotes to avoid contact with humans and pets

Hazing is the process that facilitates this change and is by necessity a community response to encounters with coyotes. The more often an individual animal is hazed, the more effective hazing is in changing coyote behavior.

Hazing employs immediate use of deterrents to move an animal out of an area or discourage undesirable behavior or activity. Deterrents include loud noises, spraying water, bright lights, throwing objects, shouting. Hazing can help maintain a coyote's fear of humans and discourage them from neighborhoods such as backyards and play areas. Hazing does not harm or damage animals, humans or property.

Behavioral change also involves human activities such as how to identify and remove attractants and how to responsibly protect pets.

### Foundation of hazing

1. It is not economically, ecologically or in other ways efficient to try and remove coyotes from the urban ecosystem.
2. Hazing is one piece of a long-term plan in creating safe and acceptable living situations, increase

understanding and reduce conflict between coyotes and people.

### Goals of hazing

1. To reshape coyote behavior to avoid human contact in an urban setting. Human behavior can shape animal behavior, in either a negative or positive manner. People living in close proximity to coyotes can remove coyote attractants, identify potentially dangerous situations for their pets and themselves, and respond in a manner designed to change coyote behavior.
2. To provide residents tools to actively engage in reshaping coyote behavior and to support feeling safe in their parks and neighborhoods. This can be accomplished by teaching residents hazing techniques. The latter will be initiated with city staff and ultimately involve community volunteers.
3. To model hazing behavior and share accurate information about coyotes among other residents, friends and family.
4. Monitor hazing to assess its effectiveness and determine if further action or more aggressive hazing is needed.
5. Develop long-term community based hazing programs.

---

## General Considerations

1. Levels of hazing need to be appropriately relevant to coyote activity.
  - a. Coyotes live in open spaces and the best practice is to leave them alone and educate the public on personal safety.
  - b. Coyotes are often out late at night when few people are present. This is normal acceptable behavior. Hazing may not be necessary.
  - c. Exceptions - in early stages of hazing, programs should still engage animal. Coyotes that associate danger in the presence of people under all circumstances will be reinforced to avoid contact.
2. Hazing must be more exaggerated, aggressive and consistent when first beginning a program of hazing. As coyotes "learn" appropriate responses to hazing, it will take less effort from hazers.
  - a. Early in the process, it is extremely common for coyotes not to respond to hazing techniques. Without a history of hazing, they do not have the relevant context to respond in the desired outcome (to leave).
3. Techniques and tools can be used in the same manner for one or multiple animals. Usually there is a dominant animal in a group who will respond - others will follow its lead. DO NOT ignore, turn your back or avoid hazing because there are multiple animals instead of a single individual.
4. The more often an individual coyote is hazed by a variety of tools and techniques and a variety of people, the more effective hazing will be in changing that animal's future behavior.
5. Hazing must be directly associated with the person involved in the hazing actions. The coyote must be aware of where the potential threat is coming from and identify the person.
6. Coyotes can and do recognize individual people and animals in their territories. They can learn to avoid or harass specific individuals in response to behavior of the person and/or pet.
7. Coyotes can be routine in habit. Identifying their normal habits can help target which habits to change. For example, the coyote patrols the same bike path at the same time in the morning three to five days a week. Hazers should concentrate on that time and place to encourage the animal to adapt its routine to decrease contact with people.
8. Certain levels of hazing must always be maintained so that future generations of coyotes do not learn or return to unacceptable habits related to habituation to people.
9. Human behavior must change to support hazing and continued identification and, if necessary, remove possible attractants.
10. Education about exclusion techniques including how to identify and remove attractants, personal responsibility in pet safety and having reasonable expectations are critical parts of a coyote hazing plan.
11. Coyotes are skittish by nature. Habituated behavior is learned and reinforced by human behavior. Coyotes as a rule DO NOT act aggressively towards aggressive people. The one exception is a sick or injured animal. Engaging a sick or injured animal can result in unpredictable behavior. If this is suspected, people should not engage and remove themselves from the situation, then inform City of Yorba Linda Staff and OC Animal Care.

12. Individuals involved in hazing need to be trained in explaining hazing to residents who witness the process. They also need to explain the difference between hazing and harassment of wildlife and goals of appropriate behavior for coexistence.

---

## Summary of Hazing

Hazing is a process whereby the communities of individuals respond in like manner to make a coyote uncomfortable and choose to leave a situation where their presence is unwanted.

Basic hazing consists of standing your ground, never ignoring or turning your back to a coyote(s), yelling, and making unpleasant and frightening noises until the animal(s) choose to leave.

More aggressive hazing consists of approaching an animal quickly and aggressively, throwing projectiles, spraying with a hose or water gun, or creating fear of contact so the animal leaves the situation.

Note: Many projectiles are not legal including but not limited to slingshots, paintballs, guns and pepper balls

Hazing uses a variety of different hazing tools. This is critical as coyotes get used to individual items and sounds.

Noisemaker: Voice, whistles, air horns, bells, "shaker" cans, pots, pie pans

Projectiles: sticks, small rocks, cans, tennis balls, rubber balls. *Note: slingshots, pepper balls, paintballs are not legal projectiles in Yorba Linda*

Deterrents: hoses, spray bottles with vinegar, pepper spray, bear repellent, walking sticks.

Hazing must continue once it begins until the animal leaves, otherwise, the coyote will learn to "wait" until the person gives up. This will create an animal with more resistance to hazing instead of reinforcing the image that "people are scary".

Hazing should never injure the animal. An injured animal becomes less predictable versus a normal, healthy one who responds in a consistent and predictable manner to hazing.