



CITY OF YORBA LINDA

P.O. BOX 87014


CALIFORNIA 92885-8714

(714)961 -7170
FAX (714) 986-1010

ENGINEERING / PUBLIC WORKS

Stockpile Permit Guideline

A stockpile is a supply of earth material placed on a site for a temporary period of time. A stockpile permit is required for 50 cubic yards or more and is to be authorized in conjunction with an approved construction project. A stockpile shall not be authorized until such time as a stockpile permit is issued by the Engineering Division. The stockpile permit fee will be computed pursuant to the Grading fee schedule. A stockpile permit shall expire 12 months from the date of issuance. A stockpile permit may be extended up to an additional 3 times for the same site as approved by the Engineering Division. Upon expiration, the stockpile shall be removed pursuant to a grading permit authorizing such removal unless a new stockpile permit application is submitted to and approved by the Engineering Division. A stockpile permit may be revoked as determined by the City Engineer and the stockpile shall be removed at such time.



The borrow site must be permitted and the quantity of excavated earth material may not exceed the authorized quantity for either site. A haul route from the borrow site to the stockpile location shall be submitted and approved prior to the hauling operation. The hauling company is required to obtain a transportation permit and comply with the authorized haul route.

Stockpiles shall be graded in a smooth and good workmanship manner - truck dumped piles are not acceptable. A stockpile shall not obstruct or divert natural drainage or water courses. It shall be maintained and under no circumstances cause an adverse effect to adjacent properties. Erosion, sediment, and dust control Best Management Practices (BMP) shall be implemented in conformance with CASQA BMPs such as Stockpile Management WM-3, Stabilized Construction Entrance TC-1, Wind Erosion Control WE-1, Erosion Control (EC), and Sediment Control (SE). Stockpiles which have not been used for 14 calendar days shall be stabilized with an acceptable BMP.

The following documents shall be submitted for review and acceptance by the Engineering Division:

1. Grading Permit Application
2. Transportation Permit Application
3. Encroachment Permit Application (if applicable)
4. Stockpile Plan and Erosion and Sediment Control Plan
 - a. Earthwork (Import cubic yards)
 - b. Disturbed Area (acres). If the disturbed area is greater than 1 acre, a Notice of Intent (NOI) and Storm Water Pollution Prevention Plan (SWPPP) are required to be filed with the State Water Quality Control Board in compliance with the Construction General Permit 2009-0009-DWQ amended by 2010-0014-DWQ & 2012-0006-DWQ.
5. Agreement and security (as determined)
6. Haul Route
7. Barrow site location
8. Barrow site grading permit copy
9. Fees and Deposits per the City Fee Schedule

Stockpile Design Requirements	
Height	Slope
≤4 ft	1:1
10 ft maximum	3:1

References:

- 1) CASQA BMP Handbook
- 2) Construction Runoff Guidance Manual for Contractors, Project Owners, and Developers