



CITY OF YORBA LINDA

P.O. BOX 87014 CALIFORNIA 92885-8714

BUILDING DIVISION (714) 961-7120

Procedure No. 008

Policy Subject: Sewer Pipe Liner Systems
Effective Date: 7-15-13
Revised:

Policy subject

Various types of sewer pipe liner systems are manufactured and available for refurbishing existing sewer piping in place without removing or excavating the entire pipe run for both residential and commercial developments. This Building Division Procedure identifies the requirements, approvals, submittal requirements, documentation, process and procedures required to allow the installation of a sewer pipe liner system in the City of Yorba Linda.

REQUIRED DOCUMENTATION

- a. A formal written request must be presented to the Building Official stating the location of the project, the product to be used, the size(s) and material of the existing sewer line(s) to be refurbished and the total length of sewer line to be refurbished
- b. A printed copy of any listing for the product shall be provided at time of submittal for use of the product. A listing by a recognized listing agency is not required, but recommended.
- c. A copy of the manufacturers published installation instructions shall be furnished with the first application for use of the product within the City of Yorba Linda. The Building Division shall maintain an approval file for the product.

APPROVALS:

- a. Approvals by the Building Division shall apply to a specific manufacturer, material and system and are not a general approval for a generic material or system.

INSTALLATION AND INSPECTION REQUIREMENTS:

- a. Product shall be labeled as required by the manufacturer for identification in the field.
- b. The completed installation shall be inspected in place by the use of a live camera insertion into the entire sewer pipe system retrofitted with the liner system. The live camera inspection of the entire liner installation shall be witnessed by the City of Yorba Linda Building Inspector.
- c. Upon completion of the live camera inspection and a determination that the installation is in accordance with any listing and the manufacturer's installation requirements, the plumbing permit will be signed off as approved.

Building Official